








Broadcast & Mobile		MSRP
<b>APB-P112 SB</b> 	<b>Passive portable stagebox AudioPressBox, 1 Line In, 12 MIC Out</b> Professional passive portable AudioPressBox unit <ul style="list-style-type: none"> <li>• 1x balanced LINE Input with max. Input level of +24 dBu</li> <li>• 12 High quality balanced Outputs, independent transformer isolated</li> <li>• Nominal MIC Output level -38 dBu (0dBu on the input)</li> </ul> Note: Possible audio source: Balanced Line Output of professional audio equipment	540 €
<b>APB-116 P</b> 	<b>Active portable AudioPressBox, 1x MIC/LINE Input, 16 LINE/MIC Outputs, internal AccuPack 10 hours</b> Professional active portable AudioPressBox unit <ul style="list-style-type: none"> <li>• 1 MIC (phantom)/LINE Input - balanced with gain control and 26dB PAD</li> <li>• 16 High quality balanced Outputs, independent transformer isolated and switchable LINE or MIC Output level</li> <li>• Switchable High-Pass filter, Compressor and Limiter</li> <li>• Constant level Test signal oscillator with no mistake switch operation</li> <li>• Headphones control Output</li> <li>• Built-in Li-Ion AccuPack with microprocessor controlled battery management, 10 hour full load capacity</li> </ul>	1.890 €
<b>APB-116 R</b> 	<b>Active 19" rack distribution amplifier, 1x MIC/LINE Input, 16 LINE/MIC Outputs</b> Professional active AudioPressBox, 19" rack for portable or fixed instalation <ul style="list-style-type: none"> <li>• 1 MIC (phantom)/LINE Input - balanced with gain control and 26dB PAD</li> <li>• 16 High quality balanced Outputs, independent transformer isolated and switchable LINE or MIC Output level</li> <li>• Switchable High-Pass filter, Compressor and Limiter for each Input channel</li> <li>• Constant level Test signal oscillator with no mistake switch operation</li> <li>• Headphone control Output</li> </ul>	1.440 €
<b>APB-116R-RPS</b> 	<b>Active 19" rack distribution amplifier, 1x MIC/LINE Input, 16 LINE/MIC Outputs, Redundand Power Supply</b> Professional active AudioPressBox, 19" rack for portable or fixed instalation <ul style="list-style-type: none"> <li>• 1 MIC (phantom)/LINE Input - balanced with gain control and 26dB PAD</li> <li>• 16 High quality balanced Outputs, independent transformer isolated and switchable LINE or MIC Output level</li> <li>• Switchable High-Pass filter, Compressor and Limiter for each Input channel</li> <li>• Constant level Test signal oscillator with no mistake switch operation</li> <li>• Headphone control Output</li> <li>• Redundant power Supply</li> </ul>	1.800 €
<b>APB-116 SB</b> 	<b>Active portable AudioPressBox, 1x LINE Input, 16 LINE/MIC Outputs, internal AccuPack 10 hours</b> Professional active portable AudioPressBox unit <ul style="list-style-type: none"> <li>• 1 LINE Input - balanced with adjustable gain -10db to +20 dB</li> <li>• 16 High quality balanced Outputs, independent transformer isolated and switchable LINE or MIC Output level</li> <li>• Built in selectable High-Pass filter</li> <li>• Switchable Compressor and Limiter for Input channel</li> <li>• Nominal Output level is selectable -6 dBu, 0 dBu, +4 dBu and +6 dBu</li> <li>• Built in selectable High-Pass filter</li> <li>• Built-in Li-Ion AccuPack with microprocessor controlled battery management, 10 hour full load capacity</li> </ul>	1.620 €
<b>APB-124 SB</b> 	<b>Active portable AudioPressBox, 1x MIC/LINE Input, 24 LINE/MIC Outputs, Input Link, internal AccuPack 10 hours</b> Professional active portable AudioPressBox unit <ul style="list-style-type: none"> <li>• 1 MIC (phantom)/LINE Input - balanced with gain control and 26dB PAD</li> <li>• Input link Output (parallel to Input connector)</li> <li>• 24 High quality balanced Outputs, independent transformer isolated and switchable LINE or MIC Output level</li> <li>• Switchable High-Pass filter, Compressor and Limiter for Input channel</li> <li>• Constant level Test signal oscillator with no mistake switch operation</li> <li>• Headphone control Output</li> <li>• Built-in Li-Ion AccuPack with microprocessor controlled battery management, 10 hour full load capacity</li> </ul>	2.160 €

<p><b>APB-224 C</b></p> 	<p><b>Active distribution amplifier in waterproof case, 2 MIC/LINE Input, 24 LINE/MIC Outputs, internal AccuPack 10 hours</b></p> <p>Professional active AudioPressBox portable unit</p> <ul style="list-style-type: none"> <li>• 2 MIC (phantom)/LINE Input - balanced with gain control and 26dB PAD</li> <li>• Each Input is routable to A/(A+B)/B Outputs Group</li> <li>• 24 High quality balanced Outputs, independent transformer isolated and switchable LINE or MIC Output level. Two internal Output Groups: 12xOut A and 12xOut B</li> <li>• Switchable High-Pass filter, Compressor and Limiter for each Input channel</li> <li>• Constant level Test signal oscillator with no mistake switch operation</li> <li>• Headphone control Output for PFL/AFL for each Input/Output channel</li> <li>• Built-in Li-Ion AccuPack with microprocessor controlled battery management, 10 hour full load capacity</li> </ul> <p style="text-align: right;"><b>2.970 €</b></p>
<p><b>APB-416 C</b></p> 	<p><b>Active distribution amplifier in waterproof case, 4 MIC/LINE Input, 16 LINE/MIC Outputs, internal AccuPack 10 hours</b></p> <p>Professional active AudioPressBox portable unit</p> <ul style="list-style-type: none"> <li>• 4 MIC (phantom)/LINE Input - balanced with gain control and 26dB PAD. Each Input is routable to A/(A+B)/B Output Group</li> <li>• 16 High quality balanced Outputs, independent transformer isolated and switchable LINE or MIC Output level. Two internal Output Groups: 8xOut A and 8xOut B</li> <li>• Switchable High-Pass filter, Compressor and Limiter for each Input channel</li> <li>• Constant level Test signal oscillator with no mistake switch operation</li> <li>• Headphone control Output for PFL/AFL for each Input/Output channel</li> <li>• Built-in Li-Ion AccuPack with microprocessor controlled battery management, 10 hour full load capacity</li> </ul> <p style="text-align: right;"><b>3.564 €</b></p>
<p><b>APB-D100</b></p> <p><b>NEW</b></p> 	<p><b>Active portable AudioPressBox Drive unit, 1 LINE Input, 2 buffered Outputs for 6 AudioPressBox expanders (6x8 or 2x24 Outputs)</b></p> <p>Professional active portable AudioPressBox Drive unit</p> <ul style="list-style-type: none"> <li>• 1 balanced LINE Input</li> <li>• Switchable High-Pass filter</li> <li>• Switchable Compressor and Limiter for Input channel</li> <li>• 2 separately buffered Outputs that can drive 6x APB-008 or 2x APB-024 Output expanders.</li> <li>• Maximum drive capacity 48 Line or Mic Outputs.</li> </ul> <p>Note: Source of: APB-008 SB-EX, APB-008 IW-EX, APB-008 OW-EX, APB-008 FB-EX, APB-024 R-EX, APB-P008 OW-EX, APB-P008 IW-EX</p> <p style="text-align: right;"><b>790 €</b></p>
<p><b>APB-008 SB-EX</b></p> <p><b>NEW</b></p> 	<p><b>Passive portable AudioPressBox Expander 8 LINE/MIC Out</b></p> <p>Professional passive portable AudioPressBox expander unit</p> <ul style="list-style-type: none"> <li>• 1 balanced Input for APB drive unit with link Output for another unit</li> <li>• 8 High quality balanced Outputs, independent transformer isolated and switchable LINE or MIC Output level.</li> </ul> <p>Note: Source: APB-208 R (RPS), APB -400 R (RPS), APB-D100, APB-D100 R, APB-D200 R</p> <p style="text-align: right;"><b>540 €</b></p>
<p><b>APB-Portable PressBox Pack</b></p> <p><b>NEW</b></p> 	<p><b>Portable AudioPressBox bundle, 1 Line Input, 32 LINE/MIC Outputs separated in to 4 expanders (4x 8 LINE/MIC Outputs).</b></p> <p>Professional portable AudioPressBox bundle includes:</p> <p>1x APB-D100 drive unit:</p> <ul style="list-style-type: none"> <li>• 1 balanced LINE Input</li> <li>• Switchable High-Pass filter</li> <li>• Switchable Compressor and Limiter for Input channel</li> <li>• 2 separately buffered Outputs</li> </ul> <p>Pack includes 4 AudioPressBox expanders with 8-outputs each.</p> <p>4x APB-008 SB-EX expanders:</p> <ul style="list-style-type: none"> <li>• 1 balanced Input for APB drive unit with link Output for another unit</li> <li>• 8 High quality balanced Outputs, independent transformer isolated and switchable LINE or MIC Output level.</li> </ul> <p>1x Professional waterproof heavy duty special case</p> <p style="text-align: right;"><b>2.790 €</b></p>
<p><b>APB-448 SB</b></p> 	<p><b>Active portable distribution amplifier, 4 MIC/LINE routable Input, 48 LINE/MIC Outputs, internal AccuPack 8 hours</b></p> <p>Professional active AudioPressBox portable unit</p> <ul style="list-style-type: none"> <li>• 4 MIC (phantom)/LINE Input - balanced with gain control and 26dB PAD</li> <li>• Each Input is routable to A/(A+B)/B Output Groups</li> <li>• 48 High quality balanced Outputs, independent transformer isolated and switchable LINE or MIC Output level. Two internal Output Group: 24xOut A and 24xOut B</li> <li>• Switchable High-Pass filter, Compressor and Limiter for each Input channel</li> <li>• Constant level Test signal oscillator with no mistake switch operation</li> <li>• Headphone control Output for PFL/AFL for each Input/Output channel</li> <li>• Built-in Li-Ion AccuPack with microprocessor controlled battery management, 8 hour full load capacity</li> </ul> <p style="text-align: right;"><b>4.995 €</b></p>

**Installation - Drive Unit**

<p><b>APB-D100 R</b></p> <p><b>NEW</b></p> 	<p><b>Active 19" rack AudioPressBox Drive unit, 1 LINE Input, 2 buffered Outputs for 6 AudioPressBox expanders (6x8 or 2x24 Outputs)</b></p> <p>Professional active 19" rack AudioPressBox Drive unit</p> <ul style="list-style-type: none"> <li>• 1 balanced LINE Input</li> <li>• Switchable High-Pass filter</li> <li>• Switchable Compressor and Limiter for Input channel</li> <li>• 2 separately buffered Outputs that can drive 6x APB-008 or 2x APB-024 Output expanders.</li> <li>• Maximum drive capacity 48 Line or Mic Outputs.</li> </ul> <p>Note: Source of: APB-008 SB-EX, APB-008 IW-EX, APB-008 OW-EX, APB-008 FB-EX, APB-024 R-EX, APB-P008 OW-EX, APB-P008 IW-EX</p> <p style="text-align: right;"><b>790 €</b></p>
<p><b>APB-D200 R</b></p> <p><b>NEW</b></p> 	<p><b>Active 2 Channel 19" rack AudioPressBox Drive Unit, 2 LINE Inputs, 4 buffered Outputs for 12 AudioPressBox expanders (12x8 or 4x24 Outputs)</b></p> <p>Professional active 19" rack AudioPressBox Drive unit</p> <ul style="list-style-type: none"> <li>• 2 Channels (2x balanced LINE Input)</li> <li>• Switchable High-Pass filter for for each Input channel</li> <li>• Switchable Compressor and Limiter for for each Input channel</li> <li>• 4 separately buffered Outputs (2 for each channel) that can drive 6x APB-008 or 2x APB-024 Output expanders.</li> <li>• Maximum drive capacity 96 Line or Mic Outputs.</li> </ul> <p>Note: Source of: APB-008 SB-EX, APB-008 IW-EX, APB-008 OW-EX, APB-008 FB-EX, APB-024 R-EX, APB-P008 OW-EX, APB-P008 IW-EX</p> <p style="text-align: right;"><b>1.490 €</b></p>
<p><b>APB-208 R</b></p> 	<p><b>Active 19" rack distribution amplifier, 2x MIC/LINE routable Input, 8 LINE/MIC Outputs, Extendable up to 96 external Outputs</b></p> <p>Professional active AudioPressBox Drive unit for expanders, 19" rack for portable or fixed instalation</p> <ul style="list-style-type: none"> <li>• 2 MIC (phantom)/LINE Input - balanced with gain control and 26dB PAD</li> <li>• Each Input is routable to A/(A+B)/B Output Group</li> <li>• Paralel Inputs on the rear panel</li> <li>• 8 High quality balanced Outputs, independent transformer isolated and switchable LINE or MIC Output level. Two internal Output Group: 4x Out A and 4x Out B</li> <li>• 2 separate buffered A and B Outputs for driving up to 12 AudioPressBox expanders (each expander has 8 outputs)</li> <li>• Switchable High-Pass filter, Compressor and Limiter for each Input channel</li> <li>• Constant level Test signal oscillator with no mistake switch operation</li> <li>• Headphone control Output for PFL/AFL for each Input/Output channel</li> </ul> <p>Note: Source of: APB-008 SB-EX, APB-008 IW-EX, APB-008 OW-EX, APB-008 FB-EX, APB-024 R-EX, APB-P008 OW-EX, APB-P008 IW-EX</p> <p style="text-align: right;"><b>1.980 €</b></p>
<p><b>APB-400 R</b></p> 	<p><b>Active 19" rack distribution preamplifier, 4x MIC/LINE routable Input, Output Audio driver to 96 external Outputs</b></p> <p>Professional active AudioPressBox Drive unit for extenders, 19" rack unit</p> <ul style="list-style-type: none"> <li>• 4 MIC (phantom)/LINE Input - balanced with gain control and 26dB PAD. Each Input is routable to A/(A+B)/B Output Group</li> <li>• 2 separate buffered A and B Outputs for driving up to 48 channels of passive extenders</li> <li>• Switchable High-Pass filter, Compressor and Limiter for each Input channel</li> <li>• Constant level Test signal oscillator with no mistake switch operation</li> <li>• Headphone control Output for PFL/AFL for each Input/Output channel</li> </ul> <p>Note: Source of: APB-008 SB-EX, APB-008 IW-EX, APB-008 OW-EX, APB-008 FB-EX, APB-024 R-EX, APB-P008 OW-EX, APB-P008 IW-EX</p> <p style="text-align: right;"><b>2.340 €</b></p>

Installation - Drive Unit, Redundant Power Supply	
<b>APB-208 R-RPS</b>	<p><b>Active 19" rack distribution amplifier, 2x MIC/LINE routable Input, 8 LINE/MIC Outputs, Extendable up to 96 external Outputs, Redundant Power Supply</b></p> <p>Professional active AudioPressBox Drive unit for expanders, 19" rack for portable or fixed installation</p> <ul style="list-style-type: none"> <li>• 2 MIC (phantom)/LINE Input - balanced with gain control and 26dB PAD</li> <li>• Each Input is routable to A/(A+B)/B Output Group</li> <li>• Parallel Inputs on the rear panel</li> <li>• 8 High quality balanced Outputs, independent transformer isolated and switchable LINE or MIC Output level. Two internal Output Group: 4x Out A and 4x Out B</li> <li>• 2 separate buffered A and B Outputs for driving up to 12 AudioPressBox expanders (each expander has 8 outputs)</li> <li>• Switchable High-Pass filter, Compressor and Limiter for each Input channel</li> <li>• Constant level Test signal oscillator with no mistake switch operation</li> <li>• Headphone control Output for PFL/AFL for each Input/Output channel</li> <li>• Redundant Power Supply</li> </ul> <p>Note: Source of: APB-008 SB-EX, APB-008 IW-EX, APB-008 OW-EX, APB-008 FB-EX, APB-024 R-EX, APB-P008 OW-EX, APB-P008 IW-EX</p>
	<b>2.340 €</b>
<b>APB-400 R-RPS</b>	<p><b>Active 19" rack distribution preamplifier, 4x MIC/LINE routable Input, Output Audio driver to 96 external Outputs, Redundant Power Supply</b></p> <p>Professional active AudioPressBox Drive unit for extenders, 19" rack unit</p> <ul style="list-style-type: none"> <li>• 4 MIC (phantom)/LINE Input - balanced with gain control and 26dB PAD. Each Input is routable to A/(A+B)/B Output Group</li> <li>• 2 separate buffered A and B Outputs for driving up to 48 channels of passive extenders</li> <li>• Switchable High-Pass filter, Compressor and Limiter for each Input channel</li> <li>• Constant level Test signal oscillator with no mistake switch operation</li> <li>• Headphone control Output for PFL/AFL for each Input/Output channel</li> <li>• Redundant Power Supply</li> </ul> <p>Note: Source of: APB-008 SB-EX, APB-008 IW-EX, APB-008 OW-EX, APB-008 FB-EX, APB-024 R-EX, APB-P008 OW-EX, APB-P008 IW-EX</p>
	<b>2.700 €</b>
<b>Expanders</b>	
<b>APB-008 SB-EX</b>	<p><b>Passive portable AudioPressBox Expander 8 LINE/MIC Out</b></p> <p>Professional passive portable AudioPressBox expander unit</p> <ul style="list-style-type: none"> <li>• 1 balanced Input for APB drive unit with link Output for another unit</li> <li>• 8 High quality balanced Outputs, independent transformer isolated and switchable LINE or MIC Output level.</li> <li>• You can link together up to 3x APB-008 SB-EX</li> </ul> <p>Note: Source: APB-208 R (RPS), APB -400 R (RPS), APB-D100, APB-D100 R, APB-D200 R</p>
	<b>540 €</b>
<b>APB-024 R-EX</b>	<p><b>Passive 19" rack AudioPressBox Extender, 24 LINE/MIC Out</b></p> <p>Professional passive AudioPressBox expanderr 19" rack unit</p> <ul style="list-style-type: none"> <li>• 24 High quality balanced Outputs, independent transformer isolated and switchable LINE or MIC Output level. Two Groups (A,B) with 12 Outputs per Group</li> </ul> <p>Note: Source: APB-208 R (RPS), APB -400 R (RPS), APB-D100, APB-D100 R, APB-D200 R</p>
	<b>1.350 €</b>
<b>APB-008 OW-EX</b>	<p><b>Passive On-wall AudioPressBox Extender, 8 LINE/MIC Out</b></p> <p>Professional passive On-wall AudioPressBox expander unit</p> <ul style="list-style-type: none"> <li>• 8 High quality balanced Outputs, independent transformer isolated and switchable LINE or MIC Output level. Two Groups (A,B) with 4 Outputs per Group</li> <li>• Color: Silver APB-008 OW-EX (SV) , White (WH) or Black (BK)</li> </ul> <p>Note: Source: APB-208 R (RPS), APB -400 R (RPS), APB-D100, APB-D100 R, APB-D200 R</p>
	<b>495 €</b>
<b>APB-008 IW-EX</b>	<p><b>Passive In-wall AudioPressBox Extender, 8 LINE/MIC Out</b></p> <p>Professional passive In-wall AudioPressBox expander unit</p> <ul style="list-style-type: none"> <li>• 8 High quality balanced Outputs, independent transformer isolated and switchable LINE or MIC Output level. Two Groups (A,B) with 4 Outputs per Group</li> <li>• Color: Silver APB-008 IW-EX (SV), White (WH) or Black (BK)</li> </ul> <p>Note: Source: APB-208 R (RPS), APB -400 R (RPS), APB-D100, APB-D100 R, APB-D200 R</p>
	<b>495 €</b>
<b>APB-008 FB</b>	<p><b>Passive Floor-box AudioPressBox Extender, 8 LINE/MIC Out</b></p> <p>Professional passive floor box AudioPressBox expander unit</p> <ul style="list-style-type: none"> <li>• 8 High quality balanced Outputs, independent transformer isolated and switchable LINE or MIC Output level. Two groups (A,B) with 4 Outputs per group</li> <li>• Color: Silver (APB-008 OW-EX-SV), White (WH) or Black (BK) • It is compatible with floor boxes from OBO Bettermann and PUK</li> </ul> <p>Note: Source: APB-208 R (RPS), APB -400 R (RPS), APB-D100, APB-D100 R, APB-D200 R</p>
	<b>630 €</b>

<b>APB-P008 OW-EX</b> 	<b>Passive On-wall AudioPressBox, 1 Line In, 8 MIC Out</b> <p>Professional passive On-wall AudioPressBox with MIC Outputs for instalation</p> <ul style="list-style-type: none"> <li>• 1 balanced LINE Input with max. Input level of +24 dBu</li> <li>• 8 High quality balanced Outputs, independent transformer isolated</li> <li>• Nominal MIC Output level: -38 dBu (0dBu on the input)</li> <li>• Color: Silver APB-008 IW-EX (SV), White (WH) or Black (BK)</li> </ul> <p>Note: Source: APB-208 R (RPS), APB -400 R (RPS), APB-D100, APB-D100 R, APB-D200 R or possible audio source: Balanced Line Output of professional audio equipment</p> <p style="text-align: right;"><b>495 €</b></p>
<b>APB-P008 IW-EX</b> 	<b>Passive In-wall AudioPressBox, 1 Line In, 8 MIC Out</b> <p>Professional passive In-wall AudioPressBox with MIC Outputs for instalation</p> <ul style="list-style-type: none"> <li>• 1x balanced LINE Input with max. Input level of +24 dBu</li> <li>• 8 High quality balanced Outputs, independent transformer isolated</li> <li>• Nominal MIC Output level: -38 dBu (0dBu on the input)</li> <li>• Color: Silver APB-008 IW-EX (SV), White (WH) or Black (BK)</li> </ul> <p>Note: Source: APB-208 R (RPS), APB -400 R (RPS), APB-D100, APB-D100 R, APB-D200 R or possible audio source: Balanced Line Output of professional audio equipment</p> <p style="text-align: right;"><b>495 €</b></p>
<b>Accessories</b>	
<b>RC 3,5-1</b> 	<b>AudioPressBox Recording cable, single channel</b> <ul style="list-style-type: none"> <li>• Professional single cable designed for connecting recording equipment with 3,5mm Jack</li> <li>• MIC or Line XLR Input</li> <li>• Regardless Stereo or Mono Output jack configuration</li> <li>• Special electronic curcuit built-in XLR connector provide level and impedance matching and DC blocking</li> </ul> <p style="text-align: right;"><b>60 €</b></p>
<b>RC 3,5-8</b> 	<b>AudioPressBox Recording cable, 8 channel</b> <ul style="list-style-type: none"> <li>• Professional eightfold cable designed for connecting eight separate recording equipment with 3,5mm Jack</li> <li>• MIC or Line XLR Input</li> <li>• Regardless Stereo or Mono Output jack configuration</li> <li>• Special electronic curcuit built-in XLR connector provide level and impedance matching and DC blocking</li> </ul> <p style="text-align: right;"><b>360 €</b></p>
<b>CChC</b> 	<b>Car Charging Cable for AudioPressBox®</b> <ul style="list-style-type: none"> <li>• CChC is cable for charging APB-116SB from 12/24V car Cigarette Lighter outlet</li> </ul> <p style="text-align: right;"><b>60 €</b></p>
<b>CASE-116P</b> 	<b>Aluminum hard case</b> <ul style="list-style-type: none"> <li>• CASE-116P is for carrying APB-116P and accessories (cables, charger, etc.), Heavy duty case, Solid aluminum frame, Locking clasps, Divider for accessories</li> </ul> <p style="text-align: right;"><b>360 €</b></p>

*Notlar: Fiyatlara KDV ilave edilir  
 teslim süresi 10 gündür  
 Proje fiyatlandırması için sorunuz*

**Nefan Ticaret ve Sanayi Ltd. Şti**  
 İstanbul : 0212 2884139 Ankara : 0312 4470792

e-mail: [nefan@nefan.com](mailto:nefan@nefan.com)  
 web: [www.audiopressbox.com](http://www.audiopressbox.com)

2017\_11\_06